

# AANURAJ FASTENERS PVT.LTD.

## ASTM 2H (Nut)

<b>Chemical Requirements</b>	
<b>Material-Carbon</b>	
Carbon,	0.40 min
Manganese,	1.00 max
Phosphorus,	0.040 max
Sulphur,	0.050 max
Silicon,	0.40 max

<b>Mechanical Requirements</b>			
<b>Size</b>	<b>Brinell Hardness</b>	<b>Rockwell Hardness</b>	
		<b>C Scale</b>	<b>B Scale</b>
1 ½ in. or M36, Incl	248 to 327	24 to 35	...
Over 1 ½ in. or M36	212 to 327	35 max	95 min